

2/PRTS

09/646946

WO 99/49388

PCT/AU99/00201

1 534 Rec'd PCT/PTC 21 SEP 2000

DOCUMENT MANAGEMENT EXTENSION SOFTWARE

This invention relates to a computer software program for an improved document management system.

The basic function of document management software is to manage a document's lifetime from creation to destruction and at least give someone an even chance of locating the document by being able to search on more than an eight-dot-three pseudonym for the document.

Enterprise document management software on the other hand was designed to solve the problems of large organisations with thousands of networked computers. The software was designed to securely and dependably manage every electronic document produced with the enterprise and reliably retrieve those documents wherever and whenever required.

Enterprise document management software typically has the following components, which are a database, a browser interface, a search interface and a method of intercepting file save and open calls.

WO 99/49388

PCT/AU99/00201

2

The database is used to store information about a document other than its file name. Information such as the author, the typist, the date of creation and notes are typical fields, however, most importantly, are the database controls where the file is stored and the access to that location. The database record contains a pointer to the file system saying find this file. It also generally contains information as to which application should be launched to edit the document such as Microsoft, Word or Excel.

The database is, in effect, a Connection Manager.

Many enterprise document management systems provide an interface whereby the user can browse in some logical fashion through the documents available to them.

All enterprise document management systems provide some form of search ability with respect to the fields recorded in the database. The responsiveness of the search is entirely dependent on the database chosen for the back-end.

Some of these systems also offer full text searching of the contents of the electronic documents themselves.

WO 99/49388

PCT/AU99/00201

3

Many of the enterprise document management systems are able to enforce proper profiling and storage documents by intercepting calls made by the document production software to the file system. There are two ways in which this can be achieved. One is to use macros to alter behaviour of the production application or interfere with the low level operating system code used by the network to properly manage the file system. The macro method usually involves the launch of a part of the document management system in response to a file save or open command. Most systems require that their software be therefore continuously running in the background in order to respond to these calls, however this can have dramatic effects on the operators system performance. As there is only so much RAM to share between applications, the more that can be made available for production applications the better.

The problem with many of the enterprise document management systems which are aimed essentially at the large corporate market is that apart from being expensive software, it does not cater for small to medium size organisations.

WO 99/49388

PCT/AU99/00201

4

Since the first enterprise development systems became available, Network Operating Systems (NOS) have been quietly maturing in the background. Modern NOS's such as Microsoft's NT4 Server have been built in object (document) level security, replication and file systems databases such as Exchange eliminating the need to rebuild these things as expensive add-ins.

NOS's have matured to the point where much of what a document management system does is already built into the NOS or tightly integrated components like Exchange and Office.

It is the object of this invention to provide a document management system which is able to be utilised by everyone.

The invention, in its broadest sense, is a document management extension system for Microsoft Exchange wherein the system merges the functionality of index databases, file repositories and messaging systems using Exchange and leverages the tight integration of Exchange and an NT Server for security and redundancy management.

In this specification, any reference to a particular software version is an indication that the system of the invention

WO 99/49388

PCT/AU99/00201

5

operates with at least that particular version. As software is upgraded, so the system will, where necessary, be upgraded to operate with the later software version.

In order that the invention may be more readily understood, we shall describe, a preferred embodiment of the invention. The flow chart shown on page 5a provides an indication of the operation of Document Management Extension of the present invention and is of value when considering the description of the invention.

Document Management Extensions for Microsoft Exchange (DME) is a document management system for everyone. DME merges the traditional functionality of index databases, file repositories and messaging systems by using Exchange 5.0 and leverages the tight integration of Exchange 5.0 and an NT Server 4.0 for security and redundancy management.

DME is tightly integrated with host applications. There is no standalone application, rather numerous interfaces to the Document Management Extensions. The only user interface to DME is via dialogs in ones applications or via the Find application.

COPY OF SHEET 5A

WO 99/49388

PCT/AU99/00201

6

The specification in detail describes each of these interfaces and provides technical descriptions of the interfaces.

DOCUMENT PRODUCTION APPLICATION INTEGRATION

File Open and File Save/Save As

Applications supported by DME in Release 1.0 were Word 97, PowerPoint 97, Binder 97, Excel 97 and Outlook 97. Eastman (WANG) Image Viewer and Windows Paintbrush are also supported. At some future time, non-Office applications may be directly supported. Three Office 97 applications support the Open Document Management API. DME leverage this support. Non-ODMA compliant applications such as Outlook 97 and Excel 97 use macro interfaces to arrive at the same result. From the user's point of view all applications behave in exactly the same fashion.

Word 97, Binder 97 and PowerPoint 97

The Open Document Management API (ODMA) is the acknowledged standard API for access to Document Management Systems. Word 97, Binder 97 and PowerPoint 97 are ODMA compliant applications. Word 97, Binder 97 and PowerPoint 97 register themselves with DME

WO 99/49388

PCT/AU99/00201

7

using an ODMRegisterApp call to the ODMA Connection Manager (ODMA32.DLL). ODMA returns a handle for the application to use for identification in all subsequent calls. When the application exits, it calls ODMUnRegisterApp to return the handle. As part of this registration process, ODMA searches the Registry for entries in HKEY_Local_Machine/Software/Classes/ODMA32. It tries to connect to the first Document Management System (DMS) key with a sub-key named DEFAULT. The value of the DMS key is the path to the DME DLL that provides the functionality specified by ODMA. All screens for selecting and setting properties of documents come from Document Management Extensions for Microsoft Exchange. The DME search application (discussed separately below) interacts independently with the DME DLL rather than via an application.

Excel 97 and Outlook 97

Neither Excel 97 nor Outlook 97 are ODMA compliant applications. For these applications macrocode replaces the ODMA32.DLL calls in the ODMA model. The macros are not editable by the user. To the user there is no difference in application behavior as between an ODMA and a non-ODMA application.

WO 99/49388

PCT/AU99/00201

8

Internet Browser Integration

The interaction between Exchange Server and Internet/Intranet users is provided by Microsoft Internet Information Server (IIS) 3.0 Active Server Pages in conjunction with Exchange Server 5.0 Active Server Components. Outlook or Exchange user sessions establish direct MAPI connections with Exchange Server, whereas DME and browsers use Active Messaging objects to access the Exchange public folders.

DME DOCUMENT MANAGEMENT FEATURES

Versioning

Many users need to keep track of who did what to a document when. With versioning users can go back in time and see who made what changes to a document on various dates.

Versioning in all supported applications is accomplished by adding historical copies of documents to the MAPI record for the document.

WO 99/49388

PCT/AU99/00201

9

Versions of a document can be seen within the document properties and can be accessed directly from Document Find.

Check In/Out to Local Machine

Before examining Check In and Check Out it is worth looking at how DME transacts with the Exchange Server in a normal File Open. The Checkout procedure is merely an extension of that functionality. Both procedures are designed to ensure maximum redundancy in operation.

How Does it Work?

When a user opens a document using Document Management Extensions for Microsoft Exchange, the following process occurs:

- The DME Service sets a flag in the DME object Store by setting the Status property to OPEN and by inserting the time and user's name in the StatusInfo property.
- The DME Service copies the object from the public DME store to the user's mailbox.
- The document is copied from there to a local TEMP directory for editing by the DME user.

2025-09-10 10:00:00

WO 99/49388

PCT/AU99/00201

11

Those documents are still visible within the rest of DME however the 'check out' option is no longer available on the right click menu. If another user attempts to open the document they receive a message informing them who has the document checked out and when it was checked out (similar to the message received when a document is in use).

If the user selects 'check out' from the right click menus available from with DME dialogs, the following process occurs:

- DME sets a flag in the object Store by setting the Status property to CHECKED_OUT and by inserting the time and user's name in StatusInfo property.
- DME copies the object from the public DME store to the user's location on the physical file system.

When a user wishes to check a document in, they must be connected to the network. The Check-ed out copy of the document is moved to the DME object store and the flag is reset in the DME object store. If the object does not exist in the DME store (ie it was created offline), then it is added to the store.

WO 99/49388

PCT/AU99/00201

12

Windows 95 (NT Workstation) Desktop Integration (Shell Extensions)

DME modifies the following parts of the Windows 95 (Windows NT) shell:

- DME folders are added to the Windows Explorer and Outlook 97.
- The Start Menu is modified.
- An application is added to the system tray.
- An item is added to the context (right click) menu for some document types.

Windows 95 Explorer (namespace extensions)

A DME name space extension is added to the shell. This appears as a child of 'My Computer' in Explorer. DME contains a folder named 'My Documents' which contains the results of a stored query of DME that returns all (within a preset limit) documents for which the user is the creator.

The user may create other sub-folders of the DME object by saving searches of the document set. When the user saves searches in

005454545 101500

WO 99/49388

PCT/AU99/00201

13

Document Management Extensions for Microsoft Exchange, those searches appear as sub-folders of the DME object.

Outlook 97 (name space extensions)

Browsing documents

DME is logically an extension of the file system (rather than the messaging system) and should therefore appear as such in Outlook 97. The folder 'Document Manager' is a shortcut to the name space extension found in Windows Explorer which gives you access to one's saved searches and works in a similar manner as the 'My Documents' shortcut which points to the system folder 'My Documents' on the local drive of the host. The DME document store will not appear as part of the Exchange Folder Tree either as a public folder or as a private folder.

System Tray

A quick find icon has been added to the Start Bar Status Area (sometimes called the system tray) located on the lower right of screen when the Start Bar is in default horizontal orientation. The icon permits a quick retrieval from DME on the basis of

WO 99/49388

PCT/AU99/00201

14

document number or provides faster access to the DME Find Documents application.

Start Menu

The Start Menu has been modified in several ways:

- A command called 'In the Document Manager' has been added to the Find menu using a shell extension.
- The 'Open from Document Manager' command has been added to the start bar which launches a DME open dialog rather than the standard OSA.exe dialog.
- The list of recent edits will be accessible under the 'Documents' menu. This will be done using a doclink shell extension.

Document Find

The "In the Document Manager..." option on the start menu under Find launches an application for searching the DME store that is almost identical in appearance to the normal Windows 95/NT4 Find program.

003701 57657520

WO 99/49388

PCT/AU99/00201

15

The application permits searching on all DME properties and permits viewing of object properties and setting of permissions. Context menus also deliver check out functionality from the search dialog. From this dialog, the user is able to save searches and retrieve those searches using a folder tree drop. Full text searching is also available from this dialog (see full text searching below). "Send to" and "Send link" functionality in the Find Application enables the user to send documents and searches to others in both an organisation and outside the organisation.

Context Menu

Context menu handlers (a form of shell extension) have been used to add menu items to the context menu for all potential DME file objects when they are displayed outside a DME component. The context menu is displayed when a user clicks a file object with the alternate (usually the right) mouse button. If the object is capable of import to DME an item is added to the 'Send to' menu, being 'send to Document Manager'.

WO 99/49388

PCT/AU99/00201

16

Within DME dialogs a context menu that presents the following options appears:

Open: which is the default (double click) option and which launches the appropriate application and opens the file.

Check Out: which is disabled if the document is already checked out.

Check In: which is disabled if the document is already checked in.

Properties: which displays the properties screen and which permits the viewing and editing of document properties or attributes. Date created field and date modified fields are also part of this dialog. Further to this, a history of document change events can be captured for each document or for all documents in a store. Users can see a full history of transactions on their documents directly from any property dialog. They can also turn the history on or off without affecting the server side audit trail.

WO 99/49388

PCT/AU99/00201

17

Status: the status field permits the implementation of simple workflow and contains choices such as draft and published - Administration configurable.

Back End Functionality

Exchange Object Store

DME uses the Fulcrum Knowledge Network Server to index and search the message store. The administrator can configure the Index to cover one or more Server folders within the Object store.

A user is able to see whichever indices he/she has permission to search. A user (other than the administrator) cannot see the structure of the store and is not aware of that structure.

Each server has a unique identifier which coupled with a document number (eg. Server1-2345) provides a unique identifier for the Exchange organisation.

Document Management Extensions for Microsoft Exchange's Object Store and structured index is contained in full within an Exchange 5.0 public information store.

Security

005101 57457560

WO 99/49388

PCT/AU99/00201

18

To function as a document management system, DME must prevent uncontrolled and unauthorized access to its object store. The only method of access to the DME store is programmatically (ie via Document Management Extensions for Microsoft Exchange). DME implements access security using the Exchange address book. The type of security applicable to a document is similar to that of an exchange folder. Since no user except the administrator can access the store without using DME the Exchange Server automatically implements all external (to Document Management Extensions for Microsoft Exchange) security.

Read/Write Permission and Search Permission

Read/Write access allows the user to change the document and properties but restricts them from changing permissions or deleting them. The permission setting is useful in team collaboration environments where the team leader is able to set the permissions on the document and everyone else can work on it but may not change the permissions or delete them.

2025-04-10 10:15:00

WO 99/49388

PCT/AU99/00201

19

Search access allows a user to discover the item through searching and view the properties but not open the site. This permission setting allows others in the organisation to know of the existence of a document, however, it does not enable a person to read the document without first contacting the author. An example of this is where an Organisation would wish to have people know that it had done research on Intranets without having them necessarily having the right to read the research.

Time-Based Archive Delete

All items can be flagged for archive or delete after a specified period of time based on the document type allocated to that item. Organisations can therefore enforce a time-based delete or archive policy by setting a time limit based on the document type which can be overridden if necessary.

User's on the other hand may set any document level security attribute except delete using a DME interface to the Exchange security settings.

DRAFT - 10/10/00

WO 99/49388

PCT/AU99/00201

20

Replication

Replication is supported only on a whole of document set basis in release 5.0. In Release 5.5 in the future, administrators will be permitted to specify a document type as capable of individual replication. This means that documents of the type replicable will be copied to a public folder that is included in the Exchange replication system.

Full Text Searching

Full text searching is available on all DME documents. The user accesses the functionality either from an DME 'Open' dialog within a supported application ('Find in Text' field) or via the 'Find Document' item on the Windows 95 (NT Workstation) 'Start' menu and other up-dates of Windows. The user may also perform an Internet Explorer based full text (or attribute) search.

DME use the Fulcrum Knowledge Network and Fulcrum Exchange Connector to provide this functionality.

WO 99/49388

PCT/AU99/00201

22

USER INTERFACE**Document Production Application Integration****File Open and File Save/Save As**

All applications supported by DME use identical File Open and File Save/Save As dialogs.

DME File Open Screen

DME intercept all file interactions in supported applications and replace the standard dialogs with DME dialogs. The DME dialogs are almost identical in appearance and behavior to their Office 97 and updates counterparts. An interesting feature of the Save dialog is that in remaining consistent with the Microsoft look and feel a form of Auto-Profiling has been implemented. When a user single left clicks on an existing document, DME fill in all profile fields for that document. All a user need do is identify a document which is like the one being saved, click on it and change the name (or any other attribute) to complete the profiling of that document. They need not change anything, but then a new document will be created with exactly the same

DME-99-49388-22

WO 99/49388

PCT/AU99/00201

23

attributes (which could lead to confusion when the user wishes to retrieve the document). In a document management system, the only unique attribute is the document number.

Internet Browser Integration

DME supports a Browser interface that permits remote searching and browsing of documents using the Microsoft Office (Word, Excel and PowerPoint 97) viewers. Though editing was not available in release 5.0 it has become available in subsequent document management extension programs.

Versioning

DME versioning is identical in look and feel to the existing Word 97 and updates versioning.

Similar versioning dialogs have been added to Office Applications that do not directly implement versioning. The DME versioning dialogs implement versioning within DME. This form of versioning is one set of properties to many versions of the document.

WO 99/49388

PCT/AU99/00201

24

Linking

This feature allows users to link documents to each other. User's can specify one or two way logical links between related documents and link information can be viewed from any search result in the DME Find Client.

Windows 95 (NT Workstation) Desktop Integration

DME modifies the following parts of the Windows 95 (Windows NT) desktop:

- DME folders are added to the Explorer 95 and Outlook 97.
- The Start Menu is modified.
- An application is added to the system tray.
- An item is added to the context (right click) menu for some document types.

Windows 95 Explorer

"Document Manager" appears as a child of 'My Computer' in Explorer. "Document Manager" contains a folder named 'My Documents' which contains the results of a stored query of DME

WO 99/49388

PCT/AU99/00201

25

that returns all (within a preset limit) documents for which the user is the creator.

The user may create other sub-folders of the "Document Manager" folder by saving searches of the document set. When the user saves searches in Document Management Extensions for Microsoft Exchange, those searches appear as sub-folders of the "Document Manager" folder.

Outlook 97

Browsing documents

DME is logically an extension of the file system (rather than the messaging system) and should therefore appear as such in Outlook 97. The folder 'Document Manager' is a shortcut to the namespace extension found in Windows Explorer which gives you access to your saved searches and works in a similar manner as the 'My Documents' shortcut which points to the system folder 'My Documents' on the local drive of the host. The DME document store will not appear as part of the Exchange Folder Tree either as a public folder or as a private folder.

WO 99/49388

PCT/AU99/00201

26

Journal

Documents accessed via DME will update the Outlook 97 journal. This effectively provides a history functionality of the document management system at a user view level.

System Tray

A quick find icon has been added to the Start Bar Status Area (sometimes called the system tray) located on the lower right of screen when the Start Bar is in default horizontal orientation. The icon permits a quick retrieval from DME on the basis of document number or provides faster access to the DME Find Documents application.

Start Menu

The Start Menu has been modified in several ways:

- A command called "In the Document Manager" has been added to the Find menu using a shell extension.
- The "Open from Document Manager" command has been added to the start bar which launches a DME open dialog rather than the standard OSA.exe dialog.

WO 99/49388

PCT/AU99/00201

27

- The list of recent edits will be accessible under the 'Documents' menu. This will be done using a doclink shell extension.

Document Find

The "In the Document Manager" found under the Find option on the start menu launches an application for searching the DME store that is almost identical in appearance to the normal Windows 95/NT4 Find program.

The application permits searching on all DME properties and permits viewing of object properties and setting of permissions. Context menus also deliver check out functionality from the search dialog. From this dialog, the user is able to save searches and retrieve those searches using a folder tree drop down. Full text searching is also available from this dialog.

Context Menu

Menu items have been added to the context menu for all potential DME files when they are displayed outside a DME dialog. The context menu is displayed when a user clicks a file object with

WO 99/49388

PCT/AU99/00201

28

the alternate (usually the right) mouse button. If the object is capable of import to DME an item is added to the 'Send to' menu, being 'send to Document Manager'.

Within DME dialogs a context menu that presents the following options appears:

Open: which is the default (double click) option and which launches the appropriate application and opens the file.

Check Out: which is disabled if the document is already checked out.

Check In: which is disabled if the document is already checked in.

Properties: which displays the properties screen and which permits the viewing and editing of document properties or attributes. Date created field and date modified fields are also part of this dialog. Further to this, a history of document change events can be captured for each document or for all documents in a store. Users can see a full history of

D:\E:\SQU\101500

WO 99/49388

PCT/AU99/00201

29

transactions on their documents directly from any property dialog. They can also turn the history on or off without affecting the server side audit trail.

Status: The status field permits the implementation of simple workflow and contains choices such as draft and published - Administration configurable.

RECORDS MANAGEMENT

The Document Management Extension System has many record management features which include the following:

Custom Records Management HTML Forms

A DME Administrator (or user) can create HTML forms using a simple HTML editor (such as Microsoft Front Page Express) for use as a data entry form for Records Management purposes.

Organizational forms can be simply and efficiently designed and implemented as Standard Data Capture forms for Records management or any other data capture process.

005101 57654980

WO 99/49388

PCT/AU99/00201

30

Record Viewer Application

The DME Record Viewer allows a user to retrieve/complete/view/save HTML Records Management Forms.

The ODMA compliant HTML forms viewer allows standard HTML forms to be treated just like any other managed object. Users can load a form, enter the required data and save the form (complete with data) as a new DME document.

Records Management is just one of the possible uses for the new Forms technology.

Permanent Records

Users can flag a DME object (including the HTML Records Management Forms) as permanent. The effect of this is to freeze an object in a 'published' state.

When an object is flagged as permanent, it cannot be unflagged, modified or deleted. To records management, this is a preservation feature and to others this is a publication feature as the object is effectively frozen at that point of time.

00545045-1015000

WO 99/49388

PCT/AU99/00201

31

Records Manager User Class

DME Administrators can specify a group of users, who have modify rights in respect of all permanent objects.

Organizations can designate certain users as being part of the Record Manager Group. Those users have modify permission in relation to permanent objects. This permits the designation of specialist Records Managers.

It is envisaged that other embodiments of the invention will exhibit any number of and any combination of the features of the previously described two embodiments.

Whilst we have described herein one specific embodiment of the invention it is to be understood that variations and modifications in this can be made without departing from the spirit and scope thereof.